

DMR PD3 radio introduction



PD358 PD368









PD368

- Design for Business
- Compact and slim
- Easy to Use

Key specification and features







PD358

PD368

Specification

• Frequency: 400-440MHz/430-470MHz/446Mhz

Output Power: 3W/1.5W/0.5W(446)

• Channel Capacity: 256

• Battery Capacity: 2000mAh (3.7V)

• Size($H \times W \times D$): PD358—123 \times 55 \times 23mm

PD368— 107×55×23mm

Features

- Analog/Digital Dual mode
- · 3 lines single color LCD display
- Slim and light design (23mm with standard battery)
- Creative antenna design
- Micro-USB charging port
- 3.5mm audio interface (with screw lock)
- Standard 2000mAh internal battery
- Dust and water prove level: IP54
- Certification of CE/FCC
- MIL-STD C/D/E/F/G
- Predefined short message service

Accessories



Standard

NO.	Description	Comments
1	2000mAh Lion battery	Newly developed,
2	USB port power charger	Newly developed,
3	Back clip (BC20/BC21,suitable for PD35X/PD360X)	Newly developed,
4	Belt	Share with TC320



BL2009 2000mAh Lion Battery



charger

Optional

Audio accessory

3.5mm ear set

Data cable

USB port programming and download cable



back clip

